# DUCKHAMS

# SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

Duckhams QXR 0W-20 GM

of the mixture

Registration number -

Synonyms None.

Product code DQXRGM1L

Issue date 27-January-2021

Version number 12

Revision date 27-January-2021

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Automotive lubricant

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Manufactured by Moove Lubricants

Address Dering Way, Gravesend, Kent DA12 2QX UKAddress

**Telephone** +44 (0) 1474 564 311

Address Operations Plant Dering Way, Gravesend, Kent DA12 2QX UK

 Telephone
 +44 (0) 1474 564 311

 Technical Helpline
 +44 (0) 1474 546319

 Email
 technical@uk.moovelub.com

# **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

## Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

Hazard summary

Not classified for health hazards. However, occupational exposure to the mixture or substance(s)

may cause adverse health effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None.
Signal word None.

**Hazard statements** The mixture does not meet the criteria for classification.

**Precautionary statements** 

PreventionNot available.ResponseNot available.StorageNot available.DisposalNot available.

Supplemental label information None

2.3. Other hazards This mixture does not meet vPvB / PBT criteria of Regulation (EC) No 1907/2006, Annex XIII. Not

a PBT or vPvB substance or mixture.

# **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

DQXRGM1L Version #: 12 Revision date: 27-January-2021 Issue date: 27-January-2021

**General information** 

**Chemical name** CAS-No. / EC No. REACH Registration No. Index No. Notes MINERAL OIL 3 - < 5 # Mixture Classification:

Other components below reportable levels

## List of abbreviations and symbols that may be used above

#: This substance has been assigned Union workplace exposure limit(s).

M: M-factor

PBT: persistent, bioaccumulative and toxic substance. vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

**Composition comments** The full text for all H-statements is displayed in section 16.

90 - 100

## **SECTION 4: First aid measures**

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Rinse mouth. Get medical attention if symptoms occur. Ingestion

4.2. Most important symptoms and effects, both acute and delayed

Exposure may cause temporary irritation, redness, or discomfort.

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

# **SECTION 5: Firefighting measures**

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

media

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective

equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting

procedures

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

## SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

personnel For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the

SDS.

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product

recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SDS UK

# **SECTION 7: Handling and storage**

7.1. Precautions for safe

handling

Avoid prolonged exposure. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the

SDS).

7.3. Specific end use(s) Automotive lubricant

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

Occupational exposure limits

Components Type Value MINERAL OIL TWA 5 mg/m3

**Biological limit values** No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Follow standard monitoring procedures.

Derived no effect levels

(DNELs)

Not available.

Not available.

Predicted no effect concentrations (PNECs)

8.2. Exposure controls Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

#### Individual protection measures, such as personal protective equipment

Personal protection equipment should be chosen according to the CEN standards and in **General information** 

discussion with the supplier of the personal protective equipment.

Wear safety glasses with side shields (or goggles). Eye/face protection

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

- Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

**Environmental exposure** 

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply

with the requirements of environmental protection legislation. Fume scrubbers, filters or

engineering modifications to the process equipment may be necessary to reduce emissions to

acceptable levels.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

**Appearance** 

Physical state Liquid. **Form** Liquid. Gold Brown. Colour Slight. Odour **Odour threshold** Not available.

Not available. pН Not available. Melting point/freezing point

Initial boiling point and boiling

range

340 °C (644 °F) estimated

> 200.0 °C (> 392.0 °F) Flash point

**Evaporation rate** Not available. Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower Not available.

(0/\_)

Flammability limit - upper

(%)

Not available.

Vapour pressure0.1 hPa estimatedVapour densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature 260 °C (500 °F) estimated

Decomposition temperatureNot available.ViscosityNot available.Explosive propertiesNot explosive.Oxidising propertiesNot oxidising.

9.2. Other information

Density 0.84 g/cm3

Kinematic viscosity 45 mm<sup>2</sup>/s (40 °C (104 °F))

# **SECTION 10: Stability and reactivity**

**10.1. Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**10.2. Chemical stability** Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Avoid temperatures exceeding the decomposition temperature. Contact with incompatible

materials.

**10.5. Incompatible materials** Strong oxidising agents.

10.6. Hazardous

No hazardous decomposition products are known.

decomposition products

10.4. Conditions to avoid

## **SECTION 11: Toxicological information**

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

**Inhalation** Prolonged inhalation may be harmful.

Skin contact

No adverse effects due to skin contact are expected.

Eye contact

Direct contact with eyes may cause temporary irritation.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

**Symptoms** Exposure may cause temporary irritation, redness, or discomfort.

11.1. Information on toxicological effects

**Acute toxicity** 

Product	Species	Test Results
Duckhams QXR 0W-20 GM		
<u>Acute</u>		
Oral		
LD50	Rat	2959 mg/kg
Components	Species	Test Results
MINERAL OIL		
Dermal		
Liquid		
LD50	Rabbit	> 5000 mg/kg
Oral		
Liquid		
LD50	Rat	> 5000 mg/kg

Due to partial or complete lack of data the classification is not possible. Skin corrosion/irritation Serious eye damage/eye Due to partial or complete lack of data the classification is not possible.

irritation

Due to partial or complete lack of data the classification is not possible. Respiratory sensitisation Skin sensitisation Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible. Germ cell mutagenicity

Carcinogenicity Not available.

Due to partial or complete lack of data the classification is not possible. Reproductive toxicity Specific target organ toxicity -Due to partial or complete lack of data the classification is not possible.

single exposure Specific target organ toxicity -

Due to partial or complete lack of data the classification is not possible.

repeated exposure Based on available data, the classification criteria are not met. **Aspiration hazard** 

Mixture versus substance

information

No information available.

Other information Not available

# **SECTION 12: Ecological information**

Based on available data, the classification criteria are not met for hazardous to the aquatic 12.1. Toxicity

environment.

Not available.

No data available.

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential No data available. Partition coefficient Not available.

n-octanol/water (log Kow)

**Bioconcentration factor (BCF)** 12.4. Mobility in soil

12.5. Results of PBT and vPvB

assessment

Not a PBT or vPvB substance or mixture. This mixture does not meet vPvB / PBT criteria of

Regulation (EC) No 1907/2006, Annex XIII.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation 12.6. Other adverse effects

potential, endocrine disruption, global warming potential) are expected from this component.

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

The Waste code should be assigned in discussion between the user, the producer and the waste EU waste code

disposal company.

Disposal methods/information

Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Special precautions

Dispose in accordance with all applicable regulations.

## **SECTION 14: Transport information**

### **ADR**

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

**IMDG** 

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Not established.

Code

Material name: Duckhams QXR 0W-20 GM - Duckhams

DQXRGM1L Version #: 12 Revision date: 27-January-2021 Issue date: 27-January-2021

SDS UK

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU** regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

#### **Authorisations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

#### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

#### Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as

amended.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

# **SECTION 16: Other information**

#### List of abbreviations

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC: Intermediate Bulk Container.

IMDG: International Maritime Dangerous Goods.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative, toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TWA: Time Weighted Average.

vPvB: Very persistent and very bioaccumulative.

References Not available.

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

Full text of any H-statements not written out in full under Sections 2 to 15 None.

Material name: Duckhams QXR 0W-20 GM - Duckhams

Revision information Training information Disclaimer Product and Company Identification: Alternate Trade Names Follow training instructions when handling this material.

Duckhams cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.